



SECTION	LIGHT	HEAVY	SIDEWALK	DUMPST	ENTRANCES
SURFACE	5"	6"	4"	7"	7"
BASE	4"	4"	4"	4"	4"
TOTAL	9"	10"	8"	11"	11"



NOTE:
SEE GEOTECHNICAL REPORT FOR TREATED SUBBASE OPTIONS

SECTION	PARKING STALLS	DRIVES	ENTRANCES
SURFACE	1.5"	1.5"	1.5"
BINDER	1.5"	2.5"	2.5"
BASE	8"	8"	8"
TOTAL	11"	12"	12"







NOTES:
1. METAL SURFACES SHALL BE FREE OF HEAVY RUST. BOLLARDS SHALL HAVE 2 COATS SHERWIN WILLIAMS - KEM 4000 ACRYLIC ALKYD ENAMEL SAFETY YELLOW B55Y300

2. SIGNAGE SHALL COMPLY WITH AMERICAN'S WITH DISABILITIES ACT (A.D.A.) SIGNAGE GUIDELINES

3. ALL PAINTED ADA PARKING SURFACES SHALL BE CLEAN AND DRY. TOP COAT PROVIDE TWO (2) COATS SHERWIN WILLIAMS - PROMAR TRAFFIC MARKING PAINT "H.C." BLUE



HANDICAP SIGN DETAIL
N.T.S.

NOTES:
1. POLE BASE IS DESIGNED FOR A SOIL BEARING PRESSURE 100 PSF/FT BASED ON SOIL TYPE. CONTACT CIVIL ENGINEER IF LOWER ONSITE BEARING PRESSURE IS ENCOUNTERED.

2. DESIGN WIND SPEED IS 110 MPH. CONTACT CIVIL ENGINEER IF LOCAL CODE OR ORDINANCE REQUIRES FOR HIGHER WIND SPEED.

3. REBAR SPLICES ARE NOT PERMITTED.

4. FACTORY SUPPLIED TEMPLATE MUST BE USED WHEN SETTING ANCHOR BOLTS.

5. FOR LOCATION, SEE ES1.0/PHOTOMETRIC PLAN.



LIGHT POLE BASE DETAIL
N.T.S.







ISSUE FOR PERMIT 09-13-2022

PANDA EXPRESS, INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1	PERMIT/BID	09-13-2022
1	CONSTRUCTION	01-30-2023

PANDA PROJECT #: D23503

Civil Engineering Services
Engineering, Land Planning, and Environmental
7705 Spicer Farm Lane
Fairview, Tennessee
37062
Phone: (615) 533-0401
e-mail: ray@civilengineeringservices.net

RAY G. FLAKE — LICENSED PROFESSIONAL ENGINEER — AGRICULTURE/CORE — STATE OF TENNESSEE — 01/30/2023

PANDA EXPRESS

955 N. RIVERSIDE DRIVE
CLARKSVILLE, TN. 37040

TRUE WARM & WELCOME 2600-2022

HARDSCAPE DETAILS I

C03.1

ISSUE FOR PERMIT 09-13-2022

PANDA HOME 2600 R4