



**5% AXIAL LEADED RESISTOR**

BRN BLK BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_100  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**10 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

RED RED BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_220  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**22 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

YEL VIO BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_470  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**47 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BRN BRN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_110  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**11 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

RED YEL BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_240  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**24 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

GRN BRN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_510  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**51 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BRN RED BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_120  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**12 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

RED VIO BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_270  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**27 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

GRN BLU BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_560  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**56 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BRN ORN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_130  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**13 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

ORN BLK BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_300  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**30 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BLU RED BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_620  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**62 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BRN GRN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_150  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**15 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

ORN ORN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_330  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**33 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BLU GRY BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_680  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**68 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BRN BLU BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_160  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**16 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

ORN BLU BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_360  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**36 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

VIO GRN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_750  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**75 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

BRN GRY BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_180  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**18 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

ORN WHT BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_390  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**39 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

GRY RED BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_820  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**82 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

RED BLK BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_200  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**20 Ω**

POWER  
250mW


**5% AXIAL LEADED RESISTOR**

YEL ORN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_430  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**43 Ω**

POWER  
250mW

**5% AXIAL LEADED RESISTOR**

RED BRN BLK GLD  
  
 IN HOUSE P/N: \_\_\_\_\_910  
 TYPE: Carbon Film  
 MAX VOLTAGE: 250 VDC  
 TOLERANCE: ±5% ←

**91 Ω**

POWER  
250mW